

MOTORIZED TREADMILL

WF 258



Class	SC / max. 180kg
Console	7" - Large Window LED
Motor	AC Peak 7.0 hp/Con. 4.5hp
Speed	1-25 km/h(9 Quick-Speed)
Incline	Motor 0-15%(9 Quick-Incline)
Running Surface	580 x 1660mm
Programs	P1-P18+U1-U3+BODYFAT
Cushion System	Suspension Cushion System

More Features	Unfoldable, Handgrip Pulse Mp3 interface & Built-in Speaker Audio Output, USB/SD Card Reader Automatic Lubrication System
Product Dimension	232x103x175cm
Packing Dimension	269.4x114.8x75cm
G.W/N.W	320kg/230kg
20' /40'GP /40'HQ	12/24/24 sets



MOTORIZED TREADMILL

WF255A-A

More Features	Unfoldable, Handgrip Pulse Mp3 Interface & Build-in Speaker Audio Output, USB/SD Card Reader w/4x Transport wheels
Product Dimension	207.3x89x156.5cm
Packing Dimension	230x96.5x57.7cm
G.W/N.W	198kg/169kg
20' /40'GP /40'HQ	18/47/48 sets

Class	SC / max. 170kg
Console	7 - Large window LED
Motor	AC Peak 6.0hp/Con.3.5
Speed	1-22 km/h
Incline	Motor 0-15%
Running Surface	550 x 1550mm
Programs	P1-P18+U1-U3+BOD*
Cushion System	Suspension Cushion S:



MORTORIZED SUMMIT TRAINER

WF455A-A

More Features	Unfoldable, Handgrip Pulse Mp3 interface & Build-in Speaker Audio Output, USB/SD Card Reader, Cool FAN
Product Dimension	179x111.5x202cm
Packing Dimension	230x118x62cm
G.W/N.W	251.5kg/180kg
20" /40"GP /40"HQ	12/30/40 sets

Class	SC / max. 170kg
Console	7 - Large Window LED
Motor	AC Peak 5.0 hp/Con. 3.0hp(DIA. Ø124)
Speed	1-20 km/h(5 Quick-Speed)
Incline	Mortor -5%~40%(6 Quick-Incline)
Running Surface	550 x 1500mm
Programs	P1-P18+U1-U3+BODYFAT
Cushlon System	Spring-Silicone Gel Cushion



DELEUX SELF GENERATION UPRIGHT BIKE

WF9001W



Monitor	Time, Dis, Pulse, Cal, Watt, Rpm, Mets, Scan, Brake Resistance Level 1-24, LED Display & Indicators (Dot Matrix), w/FAN
Programs	Manual--Random--Interval--H.R.Control--Valle--Rolling --Mountain--Ronman
Spec	14kgs, bearing one way, 3pcs crank
Carton size	118x70.5x72(cm)
Assembly size	106x84x150(cm)
G.W / N.W	88.5kg / 69kg
Loading Q'TY	39sets/20' 90sets/40'FCL 90sets/40'HQ

DELEUX SELF GENERATION RECUMBENT BIKE

WF9001RW



Monitor	Time, Dis, Pulse, Cal, Watt, Rpm, Mets, Scan, Brake Resistance Level 1-24, LED Display & Indicators (Dot Matrix), w/FAN
Programs	Manual--Random--Interval--H.R.Control--Valle--Rolling --Mountain--Ronman
Spec	14kgs, bearing one way, 3pcs crank
Carton size	189.5x71.5x85(cm)
Assembly size	200x65x141(cm)
G.W / N.W	113.8kg / 89.3kg
Loading Q'TY	18sets/20' 36sets/40'FCL 54sets/40'HQ

DELEUX SELF GENERATION ELLIPTICAL BIKE

WF9001HW



Monitor	Time, Dis, Pulse, Cal, Watt, Rpm, Mets, Scan, Brake Resistance Level 1-24, LED Display & Indicators (Dot Matrix), w/FAN
Programs	Manual--Random--Interval--H.R. Control--Valle--Rolling--Mountain--Ronman
Spec	14kgs, two ways
Carton size	181x71.5x83.5(cm) 131.5x71.5x94(cm)
Assembly size	240x73x170(cm)
G.W / N.W	204.8kg / 162.8kg
Loading Q'TY	11sets/20' 22sets/40'FCL 32sets/40'HQ

DELUXE SPIN BIKE

WF8929



Spec	22kg/2-ways Motion, Heavy Duty Crank, Belt Driven System, Aluminium Handlebar Post & Seat Post
Set-up size	131x61x115(cm)
Carton size	131x28x98(cm)
G.W / N.W	77kg / 70kg
Loading Q'TY	77sets/20' 164sets/40'FCL 185sets/40'HQ

DELUXE SPIN BIKE

WF8918-3



Spec	22kg / 2-ways Motion, Heavy Duty Crank; Belt Driven System; Leather Brake/Micro-manual Tension Control; Dual-Sided SPD compatible platform Pedals; Great Performance
Assembly size	131x80x116(cm)
Carton size	120.5x25.5x105(cm)
G.W / N.W	75.2kg / 69.7kg
Loading Q'TY	86sets/20' 190sets/40'FCL 210sets/40'HQ



DUAL MOTION AIRBIKE

WF8206-1



Console	Time, Speed, Distance, Cal, Pulse, Watt
Spec	Sealed Ball Bearings; Chain-Driven; Biomechanic Crank Design; 27" Diameter Steel Fan; Unlimited Air Resistance; Complete Cross-Fit Workout
Set-up Size	126x58.5x130(cm)
Carton size	131x28x88.5(cm)
G.W / N.W	51.5/45.5KG
Loading Q'TY	88sets/20' 187sets/40'FCL 207sets/40'HQ